

HILUX

Valid from: July, 2023



GRADE	SFX	Body type	Engine	ccm	Power (HP/kW)	Torque (Nm)	Transmission	Duty and VAT Free Price (USD)	Duty paid (USD w. VAT)
Country 4x2	4x2 / 10	Single Cab	2.4 GD-5	2393	150/110	343	5 M/T	29,600	36,800
Country 4x2	4x2 / 13	Single Cab	2.4 GD-6	2393	150/110	400	6 M/T	30,200	37,600
Country 4x2	4x2 / 14	Single Cab	2.4 GD-6	2393	150/110	400	6 M/T	28,600	35,600
Country 4x4	4x4 / 15	Single Cab	2.4 GD-6	2393	150/110	400	6 M/T	31,100	38,800
Comfort 4x4	4x4 / 16	Single Cab	2.4 GD-6	2393	150/110	400	6 M/T	33,600	41,800
Comfort 4x4	4x4 / 17	Single Cab	2.8 GD-6	2755	205/150	420	6 M/T	36,400	45,400
Work 4x4	4x4 / 18	Extra Cab	2.4 GD-6	2393	150/110	400	6 M/T	35,400	44,100
Active 4x4	4x4 / 19	Extra Cab	2.8 GD-6	2755	205/150	420	6 M/T	39,700	49,500
Country 4x2	4x2 / 1D	Double Cab	2.4 GD-6	2393	150/110	400	6 M/T	33,500	41,700
Comfort Plus	4x2 / 1Y	Double Cab	2.4 GD-6	2393	150/110	400	6 A/T	37,400	46,700
Country 4x4	4x4 / 1A(AA)	Double Cab	2.4 GD-6	2393	150/110	400	6 M/T	39,000	48,400
Comfort Plus 4x4	4x4 / 1G	Double Cab	2.4 GD-6	2393	150/110	400	6 M/T	41,600	51,700
Comfort Plus 4x4	4x4 / 1H	Double Cab	2.4 GD-6	2393	150/110	400	6 A/T	42,800	53,100
Active 4x4	4x4 / 1I	Double Cab	2.8 GD-6	2755	205/150	420	6 M/T	45,600	56,600
Adventure 4x4	4x4 / 1W	Double Cab	2.8 GD-6	2755	205/150	420	6 M/T	53,300	66,200
Active 4x4	4x4 / 1M	Double Cab	2.8 GD-6	2755	205/150	500	6 A/T	46,900	58,200
Adventure 4x4	4x4 / 1X	Double Cab	2.8 GD-6	2755	205/150	500	6 A/T	54,300	67,500
GRS Edition 4x4	4x4 / GR	Double Cab	2.8 GD-6	2755	205/150	500	6 A/T	57,500	71,400

EXTRAS	Work	Country	Comfort	Active	Executive	Duty and VAT Free Price (USD)	Duty paid (USD w. VAT)
Metallic paint:	0	0	0	0	0		
Alloy wheels:	0	0	0	0	0		
Leather interior:	0	0	0	0	0		

• = Standard ○ = Option -= Not available

5 M/T = 5 speed manual transmission 6 M/T = 6 speed manual transmission 6 A/T = 6 speed automatic transmission

CONTACT US:

LUSAKA CAIRO RD BRANCH Nothend Cairo road- Lusaka Tel: +260971 268 000

LUSAKA NANGWENYA BRANCH Nangwenya Road- Lusaka Tel: +260971 268 000

KITWE COPPERBELT BRANCH Chingola Road- Kitwe Tel: +260971 260 000

LIVINGSTONE BRANCH Plot No. 699- Industrial Road- Livingstone Tel: +260971 268 000

SOLWEZI BRANCH Kansanshi Mine Road Tel: +260971 268 000

website: www.toyotazambia.co.zm e-mail: contact-toyota-zambia@cfao.com





Warranty is valid up to 3 years or 100,000 km for vehicle and 1 year or 30,000 km for conversions, whichever comes first. We reserve the right to alter any details of specifications and equipment without notice. No guarantee is given regarding the accuracy of information within this document. Vehicle body, specifications and trim colours might differ slightly from the data within this document. Please check model availability and full specification details with your Toyota dealer prior to ordering. We cannot accept contractual responsibility for your reliance on the information contained within this document.

HILUX SINGLE CAB

Interior:

Air conditioner (manual) (1C - without)

Fabric seats 2 speakers Power steering Bench seat Cup holders Tilt steering Glove box with key

Exterior:

Colour painted front bumper Black front grille Deck guard frame

COUNTRY on top of WORK

Interior:

Radio AM/FM, MP3, CD (13) Steering switch controls (13) Auxiliary input USB (13) Electric power windows (13) Wireless power door lock (13) Electronic adi, outside mirrors (13)

Bench seat

COMFORT on top of COUNTRY

Black electronic adj. outside mirrors (17) Separate front seats Radio AM/FM, MP3, CD

Steering switch controls

Safety:

VSC - Vehicle Stability Control TSC - Trailer Sway Control

Exterior:

Rear step bumper (1C - without) Mud guards (front and rear) J-Deck type cargo area (outside hooks)

Safetv:

ABS - Anti-lock Braking System High mounted brake light (LED) Headlamp levelling (manual) Driver & passenger airbags (SRS) EBD - Electronic Brake force Distribution

Technical:

Exterior:

Headlamp 2-bulb halogen

Technical: Steel wheels

Tyre dimensions 215/65R16C 80L fuel tank capacity Power socket 12V Vehicle width 1.800 mm Overall length 5.330 mm Overall height 1.690 mm

Min. ground clearance 182 mm (for 2.4 GD-5) Towing capacity 2.500 kg (with brakes)

Steel spare tyre Pitch and Bounce Control ECO driving indicator Engine oil level warning

Colour painted front bumper Rear step bumper (13) 4WD switch (15)

Safety:

Driver, Passenger & Driver knee airbag (SRS) Power door lock (auto/speed sensitive) - (13) Immobilizer and siren (13)

Immobilizer (15)

Technical: Rear differential lock

Technical:

Steel wheels

Steel wheels Tyre dimensions 205R16C (15)

Tyre dimensions 225/70R17C (13) Min. ground clearance 294 mm

Towing capacity 3.500 kg (with brakes) (15) Towing capacity 2.750 kg (with brakes) (13)

Overall height 1.795 mm

Tyre dimensions 225/70R17

Interior:

Wireless power door lock (17) Electric power windows (17)

Auxiliary input USB

Emergency Brake Signal Immobilizer (16) Immobilizer and siren (17) HAC - Hill Start Assist Contro Exterior: Side steps

Colour painted front bumper Colour painted front grille (13)

Rear step bumper



5330 mm

1510 mm 1800 mm

HILUX EXTRA CAB

WORK - STANDARD GRADE

Interior:

Radio AM/FM, MP3, CD Auxiliary input USB Bluetooth audio & hands-free Steering switch controls Cup holders 2 speakers

Air conditioner (manual) 4WD switch

Tilt and telescopic steering adjustment Power steering

Microphone and microphone amplifier Glove box with key

Power windows (auto up/down for driver) Power door lock (auto/speed sensitive) Jam window protection (driver side) Electronic adj. outside mirrors

Exterior:

1500 mm

1800 mm

Colour painted front bumper Mud guards (front and rear) Over fender wide

A-Deck type cargo area (inside hooks) Black door handles & outside mirrors Front grille in black colour

Rear bumper (painted)

Safety: ABS - Anti-lock Braking System Immobilizer and siren

High mounted brake light (LED) Driver & passenger airbags (SRS) Driver knee airbag (SRS)

EBD - Electronic Brake force Distribution

Technical:

Headlamp 4-bulb halogen Headlamp levelling (manual) Rear differential lock

Alloy wheels, tyre dimensions 265/65 R17

80L fuel tank capacity Power socket (12V) Pitch and Bounce Control ECO driving indicator Engine oil level warning

Steel spare tyre Optitron gauge lightning Vehicle width 1.855 mm Overall length 5.325 mm Overall height 1.810 mm Min. ground clearance 311 mm

Towing capacity 3.200 kg (with brakes)

ACTIVE on top of WORK

Interior:

Multimedia touch screen 8" (20 cm) Reverse camera (back monitor) Auxiliary input USB

6 speakers

High quality fabric seat material Multi information display (Colour TFT)

Front cool box function Glove box with key and damper

Leather steering wheel Leather shift lever & knob Door trim in high fabric

Safety:

Immobilizer and siren, ultrasonic sensor Side airbags (SRS) Curtain airbags (SRS) Wireless door lock

Exterior:

Side steps with black cover, narrow Chrome door handles & outside mirrors Chrome rear bumper

Front grille in chrome

Outside mirrors electrically adjustable & retractable Follow me home lighting system

Technical:

Rain sensor, automatic wipers control Automatic light control

2 power sockets (12V) iMT - Intelligent Manual Transmission Technical:

VSC - Vehicle Stability Control HAC - Hill Start Assist Control DAC - Downhill Assist Control TSC - Trailer Sway Control ECO and POWER drive mode selector

Alloy spare tyre

Overall length 5.345 mm Towing capacity 3.500 kg (with brakes)

LED type main Headlamp

LED Fog lights

LED rear combination lamps Auto leveling main headlamps LSD - Auto Limited Slip Differentia

1855 mm



HILUX DOUBLE CAB

WORK - STANDARD GRADE

Interior:

Power steering Cup holders Radio AM/FM, MP3, CD Auxiliary input USB

Bluetooth audio and hands-free

Microphone and microphone amplifier 2 speakers

Fabric seat material Air conditioner (manual)

Tilt and telescopic steering adjustment

Seat belt warning buzzer D+P

Bench front seat Headlamp levelling (manual) Glove box with key Power door lock (4x4) Wireless power door lock (4x4)

Power windows (4x4) Auto Up & Down - Driver

Exterior:

Deck guard frame

Black door handles & outside mirrors Colour painted front bumper

Black front grille

Mud guards (front and rear)

J-Deck type cargo area (outside hooks) Electronic adj. outside mirrors (4x4)

Safety:

ABS - Anti-lock Braking System EBD - Electronic Brake force Distribution

BA - Brake Assist High mounted brake light (LED)

Driver & passenger airbags (SRS)

Driver knee airbag (SRS)
ISOFIX points for child safety on rear outer seats (x2)

Child lock

Vehicle Stability Control (4x4)

HAC - Hill Start Assist Control, automatic (4x4)

Safety:

Technical:

Steel wheels

TSC - Trailor Sway Control (4x4)

Headlamp 2-bulb halogen

80L fuel tank capacity

Rear differential lock

1 power socket 12V

Vehicle width 1.800 mm

Overall height 1.815 mm

Overall length 5.325 mm

Engine oil level warning

Pitch and Bounce Control

ECO driving indicator

Steel spare tyre

Min. ground clearance 310 mm

Towing capacity 3.500/2750 kg (with brakes)

Tyre dimensions 225/70R17C

Technical: 4WD switch (for 4x4 models) Central differential lock (for 4x4)

COUNTRY - on top of WORK

Interior: Separate front seats Seat back pocket

Exterior: Side steps with black cover, narrow (for 4x2)

4 speakers (for 4x2)

Safety:

Immobilizer and siren

Rear bumper (painted)

Colour painted front grille (for 4x2)

COMFORT - on top of COUNTRY

Interior:

Exterior:

Colour painted front grille

A-Deck type cargo area (inside hooks)

COMFORT PLUS - on top of COMFORT

Interior:

Multi information display (Colour TFT)

Exterior:

Wide over fender and bumper Turn signals on side mirrors

Exterior:

Without deck guard frame

Safety:

Curtain airbags (SRS) Side airbags (SRS)

Technical:

Technical: Alloy wheels

Tyre dimensions 265/65 R17 Sequential Switch Tronics (1H only)

Headlamp 4-bulb halogen

Alloy spare tyre

ACTIVE - on top of COMFORT PLUS

Interior:

Leather steering wheel Leather shift lever & knob Chrome details on parking brake Inside door handles in chrome Door trim in high fabric

High quality fabric seat material

Interior:

Rear armrest with cupholders Front seat adjustment (Driver) Seat back pocket with hooks

Exterior:

Black B pillars

Exterior:

Side steps with black cover, narrow Chrome door handles & outside mirrors

Technical:

ECO and POWER drive mode selector

Sequential Switch Tronics

EXECUTIVE - on top of ACTIVE

Interior

Radio AM/FM, MP3, CD/DVD Multimedia touch screen 8" (20 cm) Reverse camera (back monitor)

6 speakers

Auxiliary input USB 2 power sockets 12V

Power seat adjustment for front D+P (1L and 1O)

Power windows auto up/down (all) Window jam protection (all) Glove box with key and dampe Automatic air conditioner (1L and 1O)

Leather seats (1L and 1O) Leather door trim (1L and 1O)

Front cool box

Exterior: LED rear combination lamps LED type main headlamps LED Daytime Running Lights

Auto levelling main headlamps Smart entry & Start system ("keyless" entry & start)

Automatic light control

Follow me home lighting system

Outside mirrors electrically adjustable & retractable

LED type front fog lamps Chrome front grille.

Safety:

Immobilizer and siren, ultrasonic sensor

Technical:

Tyre dimensions 265/60R18 (1L and 1O only)

Clearance & Back Sonar (1L only) Cruise control

Rain sensor, automatic wipers control

iMT - Intelligent Manual Transmission

VSC - Vehicle Stability Control with LSD DAC - Downhill Assist Control

HAC - Hill Start Assist Control, automatic

A-TRC - Active Traction Control

EBS - Emergency Brake Signal

TSC - Trailer Sway Control

Optitron gauge lightning

*only for 6 A/T Executive models





HILUX







